



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/713,712	11/14/2003	Hiu-Ming Eric Lam	MSFT125569	2286
38991 7590 03/03/2008 CHRISTENSEN, O'CONNOR, JOHNSON, KINDNESS, PLLC 1420 FIFTH AVENUE SUITE 2800 SEATTLE, WA 98101-2347			EXAMINER GORTAYO, DANGELINO N	
			ART UNIT 2168	PAPER NUMBER
			MAIL DATE 03/03/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/713,712	Applicant(s) LAM ET AL.	
	Examiner DANGELINO N. GORTAYO	Art Unit 2168	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. In the amendment filed on 12/7/2007, claims 1-4, 10, 13, and 23 have been amended. The currently pending claims considered below are Claims 1-31.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claim 1-14 and 16-23 are rejected under 35 U.S.C. 102(e) as being unpatentable over Chang et al. ("Chang" US Patent 6,578,046)

As per claim 1, Chang teaches "at least one data store, each data store comprising a different data store type configured to store at least one data store object;" (Figure 3, Figure 6, column 8 lines 62-67, column 10 lines 13-21, wherein different datastores comprise different properties and objects stored)

"an object-oriented heterogeneous data store interface" (Figure 10 reference 37, column 4 line 54—column 5 line 18, column 13 lines 25-41, column 41 line 56 - column 42 line 4, wherein a federated collection provides a common object model for different data stores)

comprising: a data store component corresponding to each data store;" (column 9 lines 40-44, column 10 lines 27-58, wherein datastore objects are represented).

"an identity service component including a directory of each data store component;" (column 10 lines 1-8, lines 31-66, column 39 lines 17-34, wherein the information for query objects for specific data stores is gathered into a collection for a digital library defining the interface with a collection of objects)

"an enterprise component corresponding to the data store component, the enterprise component referencing the data store component by utilizing the directory included in the identity service component;" (column 11 lines 48-55, column 12 lines 5-34, column 39 lines 36-42, wherein the collections contain a folder or parts to access the specific objects for specific data stores, accessed through mappings)

"a query component comprising a query specification attribute;" (column 9 lines 45-53, column 12 line 36-67, "query evaluator")

"and a provider interface comprising a query component behavior specification specifying a query behavior with said query specification attribute of said query component;" (column 17 line 47 – column 18 line 34, "query manager", "query base")

"and for each data store, a provider plug-in to the object-oriented heterogeneous data store interface, and each provider plug-in comprises at least one provider component configured with a behavior conforming to the query component behavior specification of the provider interface." (column 9 lines 40-44, column 18 lines 37-43, column 31 lines 55-65, column 38 line 66 – column 39 lines 35, column 42 lines 20-44,

wherein each datastore preserves its own mappings through datastore classes and query classes found in the federated datastore and analyzed in the federated collection)

As per claim 2, Chang teaches “the data store component comprising a commit component behavior specification specifying a commit behavior with a data store object component parameter,” (column 31 lines 42-43)

“the data store object component comprising: a get value component behavior specification specifying a get value behavior with a data object attribute index parameter;” (column 31 lines 55-65)

“a get object component behavior specification specifying a get object behavior with a data object attribute index parameter;” (column 33 lines 4-11)

“and a get list component behavior specification specifying a get list behavior with a data object attribute index parameter;” (column 33 lines 11-20)

“and each provider plug-in further comprises at least one provider object component, and each provider object component is configured with: a get value behavior conforming with the get value component behavior specification of the provider object interface;” (column 40 lines 43-53)

“a get object behavior conforming with the get object component behavior specification of the provider object interface;” (column 41 lines 11-17)

“a get list behavior conforming with the get list component behavior specification of the provider object interface;” (column 41 lines 19-27)

“and an index of attributes of at least one of said at least one data object.”
(column 33 lines 55-60, column 34 lines 17-25)

As per claim 3, Chang teaches “the provider object interface further configured with: a set value component behavior specification specifying a set value behavior with a data object attribute index parameter;” (column 22 lines 24-38)

“a set null value component behavior specification specifying a set null value behavior with a data object attribute index parameter;” (column 24 lines 25-27)

“a null value test component behavior specification specifying a null value test behavior with a data object attribute index parameter;” (column 24 lines 28-29)

“and a populated value test component behavior specification specifying a populated value test behavior with a data object attribute index parameter.” (column 23 lines 63-64, column 24 lines 54-55)

As per claim 4, Chang teaches “the object-oriented heterogeneous data store interface further comprises at least one data store object component, wherein each data store object component corresponding to a data store object;” (column 9 lines 40-44, column 10 lines 27-58)

“and the provider interface further comprises: a connect component behavior specification specifying a connect behavior;” (column 29 lines 32-37))

“a disconnect component behavior specification specifying a disconnect behavior;” (column 29 lines 38-39)

“and a commit component behavior specification specifying a commit behavior with a data store object component parameter.” (column 31 lines 42-43)

As per claim 5, Chang teaches “each data store object component comprises a data store operation attribute;” (column 28 lines 41-47)

“each provider component is further configured with a commit behavior conforming to the commit component behavior specification of the provider interface;” (column 31 lines 42-43)

“and the data store operation attribute of the data store object component parameter of the commit behavior of the provider component indicates a data store operation to occur during the commit.” (column 41 lines 46-47)

As per claim 6, Chang teaches “the object-oriented heterogeneous data store interface further comprises: for each data store object stored in each data store, a data store object component; and a data store component corresponding to each data store configured to provide a subset of data store object components in response to the query component.” (column 38 line 57 – column 39 line 9)

As per claim 7, Chang teaches “the query component is configured with: an add expression behavior having: at least one query term parameter;” (column 18 lines 37-55)

“and a query operator parameter;” (column 18 line 58 – column 19 line 15)

“and an add conjunction behavior having a query conjunction parameter.” (column 20 lines 58-63)

As per claim 8, Chang teaches “the add expression behavior of the query component further has a query component parameter.” (column 20 line 64 – column 21 line 15)

As per claim 9, Chang teaches “each data store object stored in said at least one data store comprises at least one data object attribute;” (column 10 lines 13-21)

“the object-oriented heterogeneous data store interface further comprises a data store object component corresponding to each data store object stored in each data store;” (column 9 lines 40-44, column 10 lines 27-58)

“and each data store object component of said object-oriented heterogeneous data store interface comprises a field list attribute comprising a field specification for at least one data object attribute of the data store object corresponding to the data store object component, the field specification comprising a defer property specifying that retrieval of the data object attribute is deferrable.” (column 12 lines 24-44)

As per claim 10, Chang teaches “said at least one data store object attribute comprises a data object attribute referencing a list of data store objects stored in said at least one data store;” (column 11 lines 48-55)

“and the field specification for the data object attribute referencing the list of data store objects further comprises a schema path property for retrieving said list of data store objects from said data store specifying, at least: a type of data object in the list of data objects;” (column 11 lines 58-63)

“a first attribute of each data object in the list of data objects;” (column 13 lines 42-59)

“a second attribute of the data object corresponding to the data store object component containing the field specification; “ (column 13 lines 60-67)

“and a relationship between the first attribute and the second attribute.” (column 14 lines 33-60)

As per claim 11, Chang teaches “the schema path property specifies: more than one type of data object;” (column 41 lines 11-16)

“and at least one relationship between attributes of each data store object.”
(column 39 lines 37-52, column 41 lines 11-16)

As per claim 12, Chang teaches “a data store object source code generator configured to generate object-oriented programming language source code for each data store object component of the object-oriented heterogeneous data store interface.”
(column 20 line 58 – column 21 line 13)

As per claim 13, Chang teaches “A computer readable storage medium having stored thereon computer-executable instructions for performing a method for a query component to specify a particular subset of a data store component” (see Abstract)

“comprising: instantiating a first query component in a plurality of query components of an object-oriented heterogeneous data store interface,” (column 9 lines 40-53, column 12 line 36-67, wherein a query evaluator processes queries)

“the object-oriented heterogeneous data store interface” (Figure 10 reference 37, column 4 line 54—column 5 line 18, column 13 lines 25-41, column 41 line 56 - column 42 line 4, wherein a federated collection provides a common object model for different data stores)

comprising: a data store component corresponding to each data store;” (column 9 lines 40-44, column 10 lines 27-58, wherein datastore objects are represented).

“an identity service component including a directory of each data store component;” (column 10 lines 1-8, lines 31-66, column 39 lines 17-34, wherein the information for query objects for specific data stores is gathered into a collection for a digital library defining the interface with a collection of objects)

“an enterprise component corresponding to the data store component, the enterprise component referencing the data store component by utilizing the directory included in the identity service component;” (column 11 lines 48-55, column 12 lines 5-34, column 39 lines 36-42, wherein the collections contain a folder or parts to access the specific objects for specific data stores, accessed through mappings)

“a query component comprising a query specification attribute;” (column 9 lines 45-53, column 12 line 36-67, “query evaluator”)

“and a provider interface comprising a query component behavior specification specifying a query behavior with said query specification attribute of said query component;” (column 17 line 47 – column 18 line 34, “query manager”, “query base”)

“each query component of the object-oriented heterogeneous data store interface having an add expression behavior,” (column 12 lines 17-23, column 22 lines 24-38, wherein a query class contains the ability to add data elements and items related to objects)

“the add expression behavior having: at least one query term parameter;”
(column 12 line 57-64, column 18 lines 12-55, wherein a query is created)

“and a query operator parameter;” (column 17 lines 47-60, column 18 lines 12-18)

“adding a query expression to the first query component with the add expression behavior of the first query component;” (column 12 line 57 – column 13 line 24, wherein elements are added to the query)

“and providing the first query component to a data store component of the object-oriented heterogeneous data store interface.” (column 8 lines 26-40, column 18 lines 37-44, wherein the query is for one specific datastore)

As per claim 14, Chang teaches “each query component further has: a query conjunction behavior;” (column 20 lines 58-63)

“a begin group behavior; and an end group behavior” (column 17 lines 26-35)

“and the method further comprises: adding a query conjunction to the first query component with the add conjunction behavior of the first query component;” (column 20 line 63 – column 21 line 3)

“adding a begin group to the first query component with the begin group behavior of the first query component; and adding an end group to the first query component with the end group behavior of the first query component.” (column 21 lines 4-30)

As per claim 16, Chang teaches “the method further comprises instantiating a second query component of the object-oriented heterogeneous data store interface;” (column 28 line 41 – column 29 line 30)

“and the query expression added to the first query component comprises the second query component.” (column 28 line 41 – column 29 line 30)

As per claim 17, Chang teaches “each query component specifies a subset of enterprise data objects;” (column 38 lines 18-41)

“and the query expression added to the first query component specifies a set of values, the set of values comprising values of a specified attribute of the subset of enterprise data objects specified by the second query component.” (column 39 line 52 – column 40 line 28)

As per claim 18, Chang teaches “one of a set of valid query operators is provided as the query operator parameter of the add expression behavior of each query component of the object-oriented heterogeneous data store interface;” (column 22 lines 25-38)

“and the set of valid query operators comprises: an attribute contains (Contains) query operator that tests if a data object attribute specified by a first query term contains a value specified by a second query term;” (column 21 lines 3-30)

“a value within (Within) query operator that tests if a value specified by the first query term is within a set of values specified by at least one subsequent query term;” (column 24 lines 30-31)

“a Has query operator that tests if a data object specified by the first query term has at least one of a set of data objects specified by said at least one subsequent query term;” (column 25 lines 7-9)

“and a null test (IsNull) query operator that tests if the data object attribute specified by the first query term has a null value.” (column 24 lines 28-29)

As per claim 19, Chang teaches “each query component specifies a subset of enterprise data objects;” (column 17 lines 48 – column 18 line 9)

"and the method further comprises receiving a set of data store object components of the object-oriented heterogeneous data store interface from the data store component as a result of providing the first query component to the data store component," (column 39 lines 16-34)

"each data store object component in the set of data store object components corresponding to an enterprise data object in the subset of enterprise data objects specified by the first query component." (column 40 lines 43-53)

As per claim 20, Chang teaches "each data store object component comprises a field list attribute comprising a field specification for at least one data object attribute of the data object corresponding to the data store object component, the field specification comprising a defer property specifying that retrieval of the data object attribute is deferrable." (column 12 lines 24-44)

As per claim 21, Chang teaches "said at least one data object attribute comprises a data object attribute referencing a list of data objects stored in said at least one data store;" (column 11 lines 48-55)

"and the field specification for the data object attribute referencing the list of data objects further comprises a schema path property specifying, at least: a type of data object in the list of data objects;" (column 11 lines 58-63)

"a first attribute of each data object in the list of data objects;" (column 13 lines 42-59)

"a second attribute of the data object corresponding to the data store object component containing the field specification; " (column 13 lines 60-67)

“and a relationship between the first attribute and the second attribute.” (column 14 lines 33-60)

As per claim 22, Chang teaches “the schema path property specifies: more than one type of data object;” (column 41 lines 11-16)

“and at least one relationship between attributes of each data object.” (column 39 lines 37-52, column 41 lines 11-16)

As per claim 23, Chang teaches “a computerized system” (see Abstract)

“comprising: a plurality of data stores, each data store comprising a different data store type, each data store capable of storing at least one data store object;” (Figure 3, Figure 6, column 8 lines 62-67, column 10 lines 13-21, wherein different datastores comprise different properties and objects stored)

“an object-oriented heterogeneous data store interface” (Figure 10 reference 37, column 4 line 54—column 5 line 18, column 13 lines 25-41, column 41 line 56 - column 42 line 4, wherein a federated collection provides a common object model for different data stores)

“comprising at least one data store object component corresponding to at least one of said at least one data store object stored in said at least one data store;” (column 9 lines 40-44, column 10 lines 27-58, wherein datastore objects are represented)

“an identity service component including a directory of each data store component;” (column 10 lines 1-8, lines 31-66, column 39 lines 17-34, wherein the

information for query objects for specific data stores is gathered into a collection for a digital library defining the interface with a collection of objects)

"an enterprise component corresponding to the data store component, the enterprise component referencing the data store component by utilizing the directory included in the identity service component;" (column 11 lines 48-55, column 12 lines 5-34, column 39 lines 36-42, wherein the collections contain a folder or parts to access the specific objects for specific data stores, accessed through mappings)

"a query component comprising a query specification attribute;" (column 9 lines 45-53, column 12 line 36-67, "query evaluator")

"and a provider interface comprising a query component behavior specification specifying a query behavior with said query specification attribute of said query component;" (column 17 line 47 – column 18 line 34, "query manager", "query base")

"a data store object design graphical user interface configured to enable building of a graphical representation of each data object corresponding to at least one data store object component of the object-oriented heterogeneous data store interface;" (Figure 10 reference 45, column 41 line 65 – column 42 line 4, column 44 lines 50-63, wherein a representation of the mapping is presented)

"and a data store object source code generator capable of generating object-oriented programming language source code for each data store object component of the object-oriented heterogeneous data store interface." (column 20 line 58 – column 21 line 13, wherein a federated query is associated with the individual datastores)

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 15 and 24-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang et al. ("Chang" US Patent 6,578,046) in view of Tamboli et al. (US Patent 6,792,431 B2)

As per claim 15, Chang teaches "each query component specifies a subset of enterprise data objects;" (column 38 lines 18-41)

Chang does not teach "a get extensible markup language (XML) behavior; and a set from extensible markup language (XML) behavior; and the method further comprises obtaining an extensible markup language (XML) representation of the subset of enterprise data objects specified by the first query component with the get extensible markup language (XML) behavior of the first query component."

Tamboli teaches "a get extensible markup language (XML) behavior; and a set from extensible markup language (XML) behavior; and the method further comprises obtaining an extensible markup language (XML) representation of the subset of enterprise data objects specified by the first query component with the get extensible markup language (XML) behavior of the first query component." (column 10 lines 32-58,

Art Unit: 2168

column 16 lines 12-38, wherein XML stylesheets map data between data objects and an XML representation).

It would have been obvious for one of ordinary skill in the art to combine Chang's system to search multiple heterogeneous datastores using different data types with Tamboli's method of utilizing XML stylesheets to produce XML representations from databases with different formats . This gives the user the advantage of utilizing XML to map between data in heterogeneous datastores . The motivation for doing so would be to ease access to data across different structure types while avoiding the need to constantly go through laborious, expensive upgrading of the system (column 1 line 57 – column 2 line 11)

As per claim 24, Chang is disclosed as per claim 23 above. Chang does not teach “an extensible markup language (XML) data store object definition generator configured to generate an extensible markup language (XML) data store object definition from the graphical representation in accordance with an extensible markup language (XML) data store object definition schema.”

Tamboli teaches “an extensible markup language (XML) data store object definition generator configured to generate an extensible markup language (XML) data store object definition from the graphical representation in accordance with an extensible markup language (XML) data store object definition schema.” (column 10 lines 32-58, column 16 lines 12-38, wherein XML stylesheets map data between data objects and an XML representation).

It would have been obvious for one of ordinary skill in the art to combine Chang's system to search multiple heterogeneous datastores using different data types with Tamboli's method of utilizing XML stylesheets to produce XML representations from databases with different formats. This gives the user the advantage of utilizing XML to map between data in heterogeneous datastores. The motivation for doing so would be to ease access to data across different structure types while avoiding the need to constantly go through laborious, expensive upgrading of the system (column 1 line 57 – column 2 line 11)

As per claim 25, Tamboli teaches “the data store object source code generator generates object-oriented programming language source code for each data store object component corresponding to the extensible markup language (XML) data store object definition generated from the graphical representation.” (column 21 lines 41-53)

As per claim 26, Tamboli teaches “the extensible markup language (XML) data store object definition comprises at least one data store object definition element containing at least one data store object attribute definition element, and each data store object attribute definition element includes a defer property specifying that retrieval of the data store object attribute is deferrable.” (column 21 line 54 – column 22 line 19)

As per claim 27, Chang teaches “at least one of said at least one data store object attribute definition element defines a data object attribute referencing a list of data store objects stored in said at least one data store;” (column 11 lines 48-55)

“and each data store object attribute definition element that defines the data object attribute referencing the list of data store objects further includes a schema path

property specifying, at least: a type of data store object in the list of data objects;" (column 11 lines 58-63)

"a first attribute of each data store object in the list of data objects;" (column 13 lines 42-59)

"a second attribute of the data store object corresponding to the data store object definition element containing the data store object attribute definition element;" (column 13 lines 60-67)

"and a relationship between the first attribute and the second attribute." (column 14 lines 33-60)

As per claim 28, Chang teaches "the schema path property specifies: more than one type of data store object;" (column 41 lines 11-16)

"and at least one relationship between attributes of each data store object." (column 39 lines 37-52, column 41 lines 11-16)

As per claim 29, Chang teaches "a query component;" (column 9 lines 45-53, column 12 line 36-67, "query evaluator")

"and a provider interface comprising a query component behavior specification specifying a query behavior with a query component parameter;" (column 17 line 47 – column 18 line 34)

"and further comprising, for each type of data store, a provider plug-in to the object-oriented heterogeneous data store interface, each provider plug-in comprising at least one provider component configured with a query behavior conforming to the query

Art Unit: 2168

component behavior specification of the provider interface.” (column 9 lines 40-44, column 18 lines 37-43, column 38 line 66 – column 39 lines 35, column 38 lines 42-52)

As per claim 30, Chang teaches “for at least one provider plug-in, a corresponding data store object source code generator plug-in capable of generating data store objects for the type of data store associated with the provider plug-in.” (column 20 line 58 – column 21 line 13)

As per claim 31, Chang teaches “the graphical representation of each data store object comprises a security policy designation.” (column 29 lines 32-37, column 40 lines 30-38)

Response to Arguments

6. Applicant’s arguments, see page 13, filed 12/7/2007, with respect to the rejection of claims 1-14 and 16-23 in regards to 35 USC 102(e) and claims 15 and 24-31 in regards to 35 USC 103(a) have been fully considered but they are not persuasive.

a. Examiner is entitled to give claim limitations their broadest reasonable interpretation in light of the specification. See MPEP 2111 [R-I]

Interpretation of Claims-Broadest Reasonable Interpretation

During patent examination, the pending claims must be 'given the broadest reasonable interpretation consistent with the specification.' Applicant always has the opportunity to amend the claims during prosecution and broad interpretation by the examiner reduces the possibility that the claim, once issued,

will be interpreted more broadly than is justified. In re Prater, 162 USPQ 541,550-51 (CCPA 1969).

b. Applicant's arguments is stated as Chang does not teach the "object oriented heterogeneous data store interface" as disclosed in claim 1 of the instant application.

In regards to the argument, examiner respectfully disagrees. As specified in the above rejection, Chang contains a federated data store disclosed in Figure 10 reference 37 that responds to queries for different data stores. This can also be seen in Figure 9, wherein different data stores, indicated by back-end servers, interact with the federated datastore. Contained in the federated datastore is a federated collection of objects for specific data stores (column 13 lines 25-41). Column 41 line 56 – column 42 line 4 further discloses the federated query processing component of Chang that queries different data store for objects. As stated in the abstract and column 4 line 54 - column 5 line 18, the invention is directed to an object oriented data model to access data in different data stores. The federated datastore and federated collection is disclosed in Chang to be built and updated as queries are accepted, and is an important part of responding to queries to different native data stores. Therefore, Chang teaches an object oriented heterogeneous data store interface.

c. Applicant's argument is stated as Chang does not teach the newly added limitation of an identity service component including a directory of each data

store component, and an enterprise component corresponding to the data store component, the enterprise component referencing the data store component by utilizing the directory included in the identity service component, as disclosed in claim 1.

In regards to the argument, examiner respectfully disagrees based on newly cited sections of Chang outlined in the above rejection. Specifically, Chang discloses in column 10 lines 1-8, lines 31-66 and column 39 lines 17-34 that a digital library, called a collection, contain the item types and item ids of data objects to be used by the federated datastore to process objects as defined in the interface with a collection of objects in different data stores. Chang, in column 11 lines 48-55 and column 12 lines 5-34 teach that these collections also contain subclasses of folders and partsto be able to reference data objects in different data store as identified by the collection, accessed through mappings, as in column 39 lines 36-42. Therefore, Chang teaches an identity service component including a directory of each data store component, and an enterprise component corresponding to the data store component, the enterprise component referencing the data store component by utilizing the directory included in the identity service component, as disclosed in claim 1.

d. Applicant's argument is stated as Chang does not teach a provider plug-in to the object oriented heterogeneous data store interface as in claim 1.

In regards to the argument, examiner respectfully disagrees. As specified in the above rejection, the federated data store is interpreted to be the object

oriented heterogeneous data store interface. As disclosed in column 9 lines 40-44, a datastore object is used to access the query processing objects. The datastore objects are further described in column 18 lines 37-43 and column 31 lines 55-65, wherein the datastore classes provide retrieval mechanisms supported by the different data stores. The applicant cites column 39 lines 1-2 of Chang, wherein "the federated datastore does not have a corresponding back-end client" yet reading further, in column 39 lines 2-9, it is disclosed that the back end clients, separate from the different datastore themselves, are used in connection with the federated datastore to access and query different datastores. This is seen in Figure 9, wherein the federated datastore utilizes back end clients, which then access back end servers, interpreted as the data stores of the instant application. Therefore, Chang teaches a provider plug-in to the object oriented heterogeneous data store interface.

e. Applicant's argument is stated as Chang does not teach instantiating a first query component in a plurality of query components of an object-oriented heterogeneous data store interface as amended in claim 13.

In regards to the arguments, Examiner respectfully disagrees. As to the object-oriented heterogeneous data store interface, applicant is directed to the above rejection and response to arguments above. As to the instantiating the query component, Chang, in column 8 lines 26-40 and column 18 lines 37-44, teaches that the query object associated with specific datastores is used in the

collection found in a federated collection to respond to queries for different data stores. Therefore, Chang teaches all the elements of claim 13.

f. Applicant's argument is stated as Chang does not teach the object-oriented heterogeneous data store interface" in independent claim 23 under 35 USC 102(e) and also as parts of dependent claims 15 and 24-31 under 35 USC 103(a).

In regards to the argument, examiner respectfully disagrees based on the rejection and response to the arguments under claim 1 above.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DANGELINO N. GORTAYO whose telephone number is (571)272-7204. The examiner can normally be reached on M-F 7:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim T. Vo can be reached on (571)272-3642. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Dangelino N. Gortayo
Examiner



Tim T. Vo
SPE



TIM VO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100